Norovirus Post-Quiz

What is Norovirus?

1. Norovirus can be spread by:

- A. Contaminated food and water.
- B. Direct contact with an ill person.
- C. Airborne particles.
- D. Contaminated surfaces.
- E. All of the above.

2. Norovirus prevention is the responsibility of:

- A. School Foodservice Directors.
- B. Managers and supervisors.
- C. Every foodservice employee.
- D. B and C.
- E. All of the above.

3. Norovirus symptoms include:

- A. Vomiting and diarrhea.
- B. Rash and congestion.
- C. Blurred vision and difficulty swallowing.
- D. B and C.
- E. None of the above.

4. Norovirus can be killed by:

- A. Freezing.
- B. An approved sanitizer safe for food contact surfaces immediately on contact with stainless steel surfaces.
- C. Use of a disinfectant-strength chemical.
- D. All of the above.

5. People infected with norovirus are contagious:

- A. Only when symptoms are active.
- B. Only before symptoms appear.
- C. From the moment they begin feeling ill to at least 3 days after recovery.
- D. B and C.
- E. None of the above.

6. Which will NOT prevent the spread of norovirus?

- A. Frequent handwashing.
- B. Bare-hand contact with ready-to-eat foods.
- Reporting symptoms, like vomiting and diarrhea, to your manager.
- D. All of the above.
- E. None of the above.

7. Norovirus can spread through tiny droplets from vomit that can travel through the air to food and surfaces for up to:

- A. 25 inches
- B. 25 feet
- C. 25 yards
- D. All of the above.
- E. None of the above.

8. Which symptoms must be reported to a manager?

- A. Coughing, flushing and headache.
- B. Vomiting, diarrhea and jaundice.
- C. Sore throat with fever.
- D. B and C.
- E. All of the above.

Answer Key

- 1. E
- 2. E
- 3. A
- 4. C
- 5. C
- 6. B
- **7.** B
- 8. E